

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050034134").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/06/27 08:33
L2	7639	(709/224).CQLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/06/27 08:33
L3	7522	(709/223).CQLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/06/27 08:33
L4	13522	L2 OR L3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L5	7263	L4 AND (distribut\$3 OR grid OR cluster) WITH (computing OR network OR system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L6	143	L4 AND (distribut\$3 OR grid OR cluster) WITH (computing OR network OR system) SAME (detect\$3 WITH (event OR alert OR alarm))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L7	51	L4 AND ((distribut\$3 OR grid OR cluster) WITH (computing OR network OR system) SAME (detect\$3 WITH (event OR alert OR alarm))) AND (compar\$3 WITH (data OR information))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L8	10	L4 AND ((distribut\$3 OR grid OR cluster) WITH (computing OR network OR system) SAME (detect\$3 WITH (event OR alert OR alarm))) AND ((compar\$3 WITH (data OR information)) SAME database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L9	9	L8 AND (@ad<"20030711" OR @pd<"20030711" OR @rlad<"20030711")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L10	6	L8 AND (@ad<"20030711" OR @pd<"20030711" OR @rlad<"20030711") AND (p2p OR p-2-p OR peer?? peer OR peer?to?peer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33

L11	47	L4 AND ((distribut\$3 OR grid OR cluster) WITH (computing OR network OR system) SAME (detect\$3 WITH (event OR alert OR alarm))) AND ((compar\$3 WITH (data OR information)) AND database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L12	10	L4 AND ((distribut\$3 OR grid OR cluster) WITH (computing OR network OR system) SAME (detect\$3 WITH (event OR alert OR alarm))) AND ((compar\$3 WITH (data OR information)) AND database) AND (p2p OR p-2-p OR peer?2?peer OR peer?to?peer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L13	4	L12 NOT L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L14	1	L13 AND (@ad<"20030711" OR @pd<"20030711" OR @rlad<"20030711") AND (p2p OR p-2-p OR peer?2?peer OR peer?to?peer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 08:33
L15	1	("20040019894").FN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/06/27 08:33
L16	1	("20050228880").FN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/06/27 09:18
L17	1	("6898556").FN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/06/27 09:18
L18	1	("6970924").FN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/06/27 09:19
L19	107	L4 AND (agent WITH monitor WITH performance)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 09:38
L20	5	L4 AND (agent WITH monitor WITH performance) AND ((postpon\$3 OR wait\$3) WITH communicat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 09:39
L21	5	L20 AND (@ad<"20030711" OR @pd<"20030711" OR @rlad<"20030711")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 09:40
L22	0	L4 AND (agent WITH determine WITH personal WITH performance)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:02

L23	81	L4 AND (communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:10
L24	0	L4 AND (communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization)) AND (database WITH (reduc\$ OR shrink\$3 OR prun\$3) WITH (size OR data))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:11
L25	181	L4 AND (database WITH (reduc\$ OR shrink\$3 OR prun\$3) WITH (size OR data))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:12
L26	38	(communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization)) AND (database WITH (reduc\$ OR shrink\$3 OR prun\$3) WITH (size OR data))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:12
L27	4	(communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization)) AND (database WITH (reduc\$ OR shrink\$3 OR prun\$3) WITH (size OR data)) AND (p2p OR p-2-p OR peer??peer OR peer?to?peer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:13
L28	0	L27 AND (@ad<"20030711" OR @pd<"20030711" OR @riad<"20030711")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:13
L29	32	L26 AND (@ad<"20030711" OR @pd<"20030711" OR @riad<"20030711")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:13
L30	28	L26 AND (@ad<"20030711" OR @pd<"20030711" OR @riad<"20030711") AND ((grid OR distribut\$3 OR cluster) WITH (computing OR network OR setup))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:14
L31	0	((wait\$3 OR paus\$3 OR postpon\$3 OR hold\$3) WITH (communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization))) AND (database WITH (reduc\$ OR shrink\$3 OR prun\$3) WITH (size OR data))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:17

L32	0	L4 AND ((wait\$3 OR paus\$3 OR postpon\$3 OR hold\$3) WITH (communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:27
L33	83	((wait\$3 OR paus\$3 OR postpon\$3 OR hold\$3) WITH (communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:28
L34	5	((wait\$3 OR paus\$3 OR postpon\$3 OR hold\$3) WITH (communicat\$3 OR transmi\$5 OR send\$3) WITH (low NEAR4 (latency OR utilization)))) AND (p2p OR p-2-p OR peer?2?peer OR peer?to?peer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:28
L35	5	L34 AND (@ad<"20030711" OR @pd<"20030711" OR @rlad<"20030711") AND ((grid OR distribut\$3 OR cluster) WITH (computing OR network OR setup))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/06/27 10:28

6/27/2008 10:53:25 AM

C:\Documents and Settings\jgreene3\My Documents\EAST\Workspaces\10618092.wsp